



FBNR GROUP

Fixed Bed Nuclear Reactor

Spent Fuel from Fixed Bed Nuclear Reactor

Farhang Sefidvash, Victor Guerrero, Edy Ayala, Maribel Luna, Patricio Espinoza-Montero

Escuela Politécnica Nacional (EPN), Quito, Ecuador

Clesio Oliveira, Flavio Van der Laan

Federal University of Rio Grande do Sul (UFRGS), Porto Alegre, Brazil

Do Thi Nguyet Minh, Há Van Thong

Electric Power University (EPU) , Hanoi, Vietnam

Sumer Sahin

ATILIM University, Ankara, Turkey

Oum Keltoum Bouhelal

Higher National Engineering School of Mines , ENSMR, Rabat, Morocco

Mamadou Kanoute

Ministry of Energy, New and renewable energy projects coordinator ,Senegal

Abstract

The FBNR is a pressurized water reactor but its fuel elements are made of TRISO type particles. The spent fuel elements may be used as a source of radiation for irradiation purposes in medicine, industry and agriculture. Thereafter, the waste treatment problem is the same as for the fourth generation high temperature nuclear reactors using TRISO particles. In recycling of FBNR fuel, using the proposed simplified TRISO particles, the problem of radioactive carbon is reduced and even may be eliminated.

1. Introduction

The global warming is no longer a philosophical discussion, but is a fact affecting adversely the future of humanity. Generation of nuclear energy does not produce CO₂ that is the cause of global warming. The 40 scenarios studied about the mixture of different forms of energy generation resulted that none of them can satisfy the world's



FBNR GROUP

Fixed Bed Nuclear Reactor

demand for energy without considering the nuclear energy. But the present nuclear reactors are not acceptable to public opinion for energy generation.

The IAEA has established the INPRO project. INPRO defines a new philosophy and criteria on how to generate nuclear energy without having the adverse effects that are of concern to the public. It is expected that a new era of nuclear energy will soon emerge in which the world will benefit from the environmental friendly and clean nuclear energy.

One proposal is the development of a new nuclear reactor concept called the Fixed Bed Nuclear Reactor (FBNR). At the present the development of FBNR is used as an instrument of training the scientists and researchers to be innovative in the light of INPRO vision and criteria.

2. Characteristics of the FBNR nuclear reactor

The FBNR reactor type is essentially the Pressure Light Water Reactor (PWR) but its fuel elements are spheres of 15 mm in diameter containing TRISO type fuel particles embedded in SiC matrix clad by stainless steel.

FBNR is a small reactor without the need of on-site refueling. It utilizes the pressurized water reactor (PWR) technology. It has the characteristics of being simple in design, inherently safe, passive cooling, proliferation resistant, and reduced environmental impact.

The FBNR fuel chamber is fuelled in the factory. The sealed fuel chamber is then transported to and from the site. The FBNR has a long fuel cycle time and there is no need for onsite refueling. It is an integrated primary system design.

FBNR Nuclear Reactor is an innovative and small nuclear reactor that meets all the INPRO criteria and philosophy. Small reactors have the advantages of serving the needs of local communities, need low capital investment and do not require expensive power transmission system. FBNR can serve as a multipurpose plant producing electricity, desalinated water, industrial steam, and supply district heating simultaneously. The FBNR is inherently safe that implies total safety and environmentally friendly. The spent fuel of FBNR may not be considered nuclear waste since it can serve as a source of radiation for irradiation purposes which has useful applications in agriculture, medicine and industry.



FBNR GROUP

Fixed Bed Nuclear Reactor

The FBNR is a foolproof non-proliferating reactor that cannot be misused for military purposes. It is economic with low capital investment. It can contribute to the solution of ever increasing demand for energy. FBNR uses the well proven PWR technology. The countries that adopt FBNR will participate in the research and development of advanced technology and become the owners of nuclear technology and not merely be the users. Science may be transferred, but technology is not transferable—it is developed.

3. Description of the reactor

The reactor as shown in the schematic Figure 1, has in its upper part the reactor core and a steam generator and in its lower part the fuel chamber. The core consists of a 150 cm diameter cylinder connected to a 100 Cm long cone below it where in turn is connected to a 40 Cm diameter helical tube constituting the fuel chamber. During the reactor operation, the 15 mm diameter spherical fuel elements are held together by the coolant flow in a fixed bed configuration, forming a suspended core. The coolant flows vertically upward into the core and thereafter to the steam generator. The connecting helical tube is made of high neutron absorbing alloy, which is directly connected underneath the core tube. The fuel chamber consists of a helical 40 cm diameter tube flanged to the reserve fuel chamber that is sealed by the national and international authorities. A grid is provided at the lower part of the tube to hold the fuel elements within it. A steam generator of the shell-and-tube type is integrated in the upper part of the module. The reactor is provided with a pressurizer system to keep the coolant at a constant pressure. The pump circulates the coolant inside the reactor moving it upward through the fuel chamber, the core, and the steam generator. Thereafter, the coolant flows back down to the pump. At a flow velocity called terminal velocity, the water coolant carries the spherical fuel elements from the fuel chamber up into the core. A fixed suspended core is formed in the reactor. In the shut down condition, the suspended core breaks down and the fuel elements leave the core and fall back into the fuel chamber by the force of gravity. The 15 mm in diameter spherical fuel elements are made of simplified TRISO micro spheres embedded in SiC and clad by stainless steel. The simplified TRISO particle has only one layer of graphite to contain fission products. This will decrease the content of graphite in the fuel thus reduce the problem of fuel recycling.

Any signal from any of the detectors, due to any initiating event, will not allow the pump to operate, causing the fuel elements to leave the core and fall back into the fuel chamber under the force of gravity, where they remain in a highly subcritical and



FBNR GROUP

Fixed Bed Nuclear Reactor

passively cooled conditions. The fuel chamber is cooled by natural convection transferring heat to the water in the tank housing the fuel chamber.

The long-term reactivity is supplied by fresh fuel addition. A piston type core limiter adjusts the core height and controls the amount of fuel elements that are permitted to enter the core from the reserve chamber. The control system is conceived to have the pump in the “not operating” condition and only operates when all the signals coming from the control detectors simultaneously indicate safe operation. Under any possible inadequate functioning of the reactor, the power does not reach the pump and the coolant flow stops causing the fuel elements to fall out of the core. The water flowing from an accumulator, which is controlled by a multi redundancy valve system, cools the fuel chamber functioning as the emergency core cooling system. The other components of the reactor are essentially the same as in a conventional pressurized water reactor.




Figura 1: Schematic Design of the Fixed Bed Nuclear Reactor (FBNR).

4. FBNR fuel element

FUEL ELEMENT: The 15 mm in diameter spherical fuel element is made of TRISO (Tristructural-isotropic) type particles embedded in SiC matrix covered by 0.5 mm thick stainless steel cladding. Consider 60% Triso particles embedded in 40% SiC matrix.

The conventional TRISO particle consists of a fuel kernel composed of UO_2 in the center, coated with four layers of three [isotropic](#) materials. The four layers are a porous



FBNR GROUP

Fixed Bed Nuclear Reactor

buffer layer made of carbon, followed by a dense inner layer of [pyrolytic carbon](#) (PyC), followed by a ceramic layer of [SiC](#) to retain fission products at elevated temperatures and to give the TRISO particle more structural integrity, followed by a dense outer layer of PyC. TRISO fuel particles are designed not to crack due to the stresses from processes (such as differential thermal expansion or fission gas pressure) at temperatures up to and beyond 1600°C, and therefore can contain the fuel in the worst of accident scenarios in a properly designed reactor.

Since the principle difficulty associated with the recycling of TRISO fuel particles is the presence of graphite, the simplified TRISO particle is used for FBNR where only the first layer of porous carbon is maintained. As it is embedded in SiC matrix, the fuel bed retains the fission products. This will immensely reduce the carbon content of the fuel elements which alleviate the problem of fuel recycling. The future detailed study may allow the total elimination of graphite.




Figura 2: FBNR fuel element.



FBNR GROUP

Fixed Bed Nuclear Reactor




Figure 3: FBNR Spent fuel for radiation applications.




Figure 4: Radiation applications in Medicine.



FBNR GROUP

Fixed Bed Nuclear Reactor




Figure 5: Radiation applications in Food.



Figure 6: Radiation applications in Industry.

5. Waste treatment

The FBNR is a pressurized water reactor but its fuel elements are made of TRISO particles. Therefore, the waste treatment problem is the same as the fourth generation high temperature nuclear reactors. Because only a relatively small amount of fuel in a great amount of carbon will contain ^{14}C after burnup, processing these fuels to recover the fissile materials presents special problems.



FBNR GROUP

Fixed Bed Nuclear Reactor

Historical approaches to processing TRISO-coated fuel involved crushing and burning operations, which would size reduce the fuel elements (thereby increasing the surface area), breach the SiC layer, oxidize the metal carbide, and remove the carbon components from the fuel as gaseous carbon dioxide. The fuel is then easily separated from the remaining SiC fragments by dissolution in nitric acid.¹ The primary disadvantage of this method is the need to capture and sequester the ¹⁴C-containing CO₂.

B. B. Spencer, C. H. Mattus, G. D. Del Cul, R. D. Hunt, and E. D. Collins of Oak Ridge National Laboratory, propose the crush-leach process as a method to treat GEN IV TRISO-coated reactor fuels. The method retains the bulk of the carbon components in elemental form, which is favorable for achieving waste reduction goals.

6. Conclusions

FBNR spend fuel elements may not be considered as nuclear waste since they serve useful purpose as the source of radiation for irradiation purposes.

After such use they may be able reused in the reactor again since the neutron absorbing isotopes may have decayed out.

At the end of the cycle the reprocessing is done using the same procedure as will be used by the fourth generation high temperature reactors using TRISO particles with the advantage that for FBNR the problem of radioactive carbon is much reduced or may not exist. The cost of fabrication and recycling of such fuel are greatly reduced.

7. References

- [1] Farhang Sefidvash. "Sustainability and Fixed Bed Nuclear Reactor (FBNR)". In: *Sustainability (Basel)* 4 (Aug. 2012), pp. 1683-1710. doi: **10.3390/su4081683**. url: <http://www.mdpi.com/2071-1050/4/8/1683>.
- [2] Farhang Sefidvash, Ha Van Thong, Dam Xum Hiep, and Do Thi Nguyet Minh. "Some Characteristics of the Fixed Bed Nuclear Reactor. In: 4th International Conference on Nuclear & Renewable Energy Resources. October 26-29. Antalya, 2014.
- [3] Sümer Sahin, Hacı Mehmet Sahin, Tawfik Ahmed Al-Kusayer, and Farhang Sefidvash. "An innovative nuclear reactor for electricity and desalination". In: *International Journal of Energy Research* 35.2 (Feb. 2011), pp. 92-102. doi: **10.1002/er.1772**. url: <http://onlinelibrary.wiley.com/doi/10.1002/er.1772/abstract>.
- [4] Sümer Sahin, Adem Acir, and Hacı Mehmet Sahin. "Performance analysis of ²³³U for Fixed Bed Nuclear Reactor". In: *Kerntechnik* 75.5 (Sept. 2010), pp. 243-247. doi: **10.3139/124.110097**. url: <http://www.hanser-elibrary.com/doi/abs/10.3139/124.110097>.
- [5] Sümer Sahin, Tawfik Ahmed Al-Kusayer, and Farhang Sefidvash. "A Pathway to Initiate Nuclear Power Technology in Developing Countries". In: 5th International Conference on Advances in Mechanical Engineering and Mechanics ICAMEM2010. December 20-22. Hammamet, 2010.



FBNR GROUP

Fixed Bed Nuclear Reactor

- [6] Sümer Sahin, Tawfik Ahmed Al-Kusayer, and Farhang Sefidvash. "A Sustainable New Nuclear Reactor for Emerging Nuclear Countries". In: The 9th International Conference on Sustainable Energy Technology. August 24-27, (invited paper). Shanghai, 2010.
- [7] Sümer Sahin, Hacı Mehmet Sahin, and Adem Acir. "Criticality and burn up evolutions of the Fixed Bed Nuclear Reactor with alternative fuels". In: Energy Conversion and Management 51.9 (Sept. 2010). 14th International Conference on Emerging Nuclear Systems (ICENES 2009), pp. 1781-1787. **doi: 10.1016/j.enconman.2009.12.044.**
url: <http://www.sciencedirect.com/science/article/pii/S0196890410000555>.
- [8] Sümer Sahin, Hacı Mehmet Sahin, Farhang Sefidvash, and Tawfik Ahmed Al-Kusayer. "Fixed Bed Nuclear Reactor for electricity and desalination needs of Middle-East Countries". In: Proceedings of the 1st International Nuclear and Renewable Energy Conference (INREC10). March, 21-24. Amman, 2010.
- [9] Sümer Sahin, Hacı Mehmet Sahin, Adem Acir, and Tawfik Ahmed Al-Kusayer. "Criticality investigations for the Fixed Bed Nuclear Reactor using thorium fuel mixed with plutonium or minor actinides". In: Annals of Nuclear Energy 36.8 (Aug. 2009), pp. 1032-1038.
doi: 10.1016/j.anucene.2009.06.003.
url: <http://www.sciencedirect.com/science/article/pii/S0306454909001790>.
- [10] Sümer Sahin and Farhang Sefidvash. "The Fixed Bed Nuclear Reactor Concept". In: Energy Conversion and Management 49.7 (July 2008). 13th International Conference on Emerging Nuclear Energy Systems (ICENES'2007), June 3-8, 2007, Istanbul, Turkey, pp. 1902-1909. **doi: 10.1016/j.enconman.2007.12.017.**
url: <http://www.sciencedirect.com/science/article/pii/S0196890407004396>.
- [11] Sümer Sahin and Farhang Sefidvash. "The Fixed Bed Nuclear Reactor for decentralized energy needs". In: International Symposium on Peaceful Applications of Nuclear Technologies in the GCC Countries. November 3-5. Jeddah, 2008.
- [12] Farhang Sefidvash. "Preliminary neutronics calculations of the Fixed Bed Nuclear Reactor FBNR - Status of Small Reactor Designs without On-site Refuelling" CD-ROM. IAEA-TECDOC-1536. Vienna, 2007.
- [13] Ha Van Thong, Farhang Sefidvash, and Do Thi Nguyet Minh. "Some advantages of nuclear fuel under spherical form for nuclear power plant". In: International Journal of Nuclear Energy, Science and Technology 3.4 (2007), p. 135.
- [14] Farhang Sefidvash. "Thermal Hydraulics of the Fixed Bed Nuclear Reactor Concept". In: Kerntechnik 71.3 (May 2006), pp. 144-148. **doi: 10.3139/124.100287.**
url: <http://www.hanser-elibrary.com/doi/abs/10.3139/124.100287>.
- [15] Farhang Sefidvash. "A Proliferation Resistant Nuclear Reactor Concept". In: Nuclear Atlantic Conference. Aug. 28 - Sept. 2. Santos, 2005.
- [16] Farhang Sefidvash. "Fixed Bed Nuclear Reactor Concept. Innovative Small and Medium Sized Reactors: Design Features, Safety Approaches and R&D Trends". IAEA-TECDOC-1451. Vienna, 2005.



FBNR GROUP

Fixed Bed Nuclear Reactor

[17] Farhang Sefidvash, V. J. Petry, and A. L. Bortoli. "Passive Cooling of a Fixed Bed Nuclear Reactor". In: 4th International Conference on Computational Heat and Mass Transfer. May 17-20, Paris-Cachan. 2005.

[18] Farhang Sefidvash and Walter Seifritz. "A fool proof non-proliferation nuclear reactor concept". In: Kerntechnik 70.4 (Aug. 2005), pp. 243-245. doi: **10.3139/124.100252**.
url: <http://www.hanser-elibrary.com/doi/abs/10.3139/124.100252>.

[19] Farhang Sefidvash. "A Fixed Bed Nuclear Reactor Concept". In: IAEA Technical Meeting. June 7-11. Vienna, 2004.

[20] Farhang Sefidvash. "Preliminary Evaluation of the Fixed and Fluidized Bed Nuclear Reactor Concept using IAEA-INPRO Methodology". In: Kerntechnik 69.3 (May 2004), pp. 127-131. doi: **10.3139/124.100200**.
url: <http://www.hanser-elibrary.com/doi/abs/10.3139/124.100200>.

[21] Farhang Sefidvash. "Preliminary Evaluation of the Fixed Bed Nuclear Reactor Concept using IAEA-INPRO Methodology". In: 12th International Conference of Nuclear Engineering. April 25-29. Arlington, 2004.

[22] International Atomic Energy Agency. Guidance for the Evaluation of Innovative Nuclear Reactors and Fuel Cycles. IAEA-TECDOC-1362. Vienna, 2003.

[23] Farhang Sefidvash. "Fixed Bed Nuclear Reactor Concept". In: International Conference on Innovative Technologies for Nuclear Fuel Cycles and Nuclear Power. June 23-26. Vienna, 2003.

[24] Farhang Sefidvash. "Fixed Bed Suspended Core Nuclear Reactor Concept". In: Kerntechnik 68 (2003), pp. 56-59.

[25] Farhang Sefidvash. "Fluidized Bed Nuclear Reactor proposed for the Generation IV Reactor". In: International Atlantic Conference. Aug, 11-16. Rio de Janeiro, 2002.

[26] Farhang Sefidvash. "Fluidized Bed Nuclear Reactor proposed for the Generation IV Reactor". In: International Conference on the New Frontiers of Nuclear Technology: Reactor Physics, Safety and High-Performance Computing. October 7-10. Seoul, 2002.

[27] Farhang Sefidvash and A. A. Mohamad. "Passive cooling characteristics of the Fluidized Bed Nuclear Reactor". In: 1st International Conference on Applications of Porous Media. June 02-08. Jerba, 2002.

[28] Farhang Sefidvash and Clésio Ismério de Oliveira. "Análise Térmica do Reator Nuclear a Leito Fluidizado". In: International Atlantic Conference. Aug, 11-16. Rio de Janeiro, 2002.

[29] Farhang Sefidvash and Walter Seifritz. "An energy amplifier Fluidized Bed Nuclear Reactor concept". In: Kerntechnik 66 (2001), pp. 59-61.

[30] Farhang Sefidvash and A. A. Mohamad. "Passive cooling characteristics of the Fluidized Bed Nuclear Reactor". In: 10th International on Emerging Nuclear Energy Systems. Petten, 2000.

[31] Farhang Sefidvash, Flávio Van der Laan, Volnei Borges, and Vanderlei Cornelius. "Estudo do comportamento de Fluidização usando Método de Visualização do Fluxo". In: XII Encontro Nacional de Física de Reatores e Termohidráulica. Rio de Janeiro, 2000.



FBNR GROUP

Fixed Bed Nuclear Reactor

[32] Farhang Sefidvash, Flávio Van der Laan, and Vanderlei Cornelius. "An experimental study of Fluidized behavior using Flow Visualization and Image". In: Brazilian Congress of Thermal Engineering and Sciences. October 3-6. Porto Alegre, 2000.

[33] Farhang Sefidvash. "A new advanced safe nuclear reactor concept". In: 15th Brazilian Congress of Mechanical Engineering. Águas de Lindóia, 1999.

[34] Farhang Sefidvash. "The Fluidized Bed Nuclear Heat Reactor concept". In: International Conference and Exhibition on Industrial Heat Engineering. May 24-30. Kiev, 1999.

[35] Farhang Sefidvash. "Water desalination by Fluidized Bed Nuclear Reactor". In: Kerntechnik 64 (1999), pp. 1-5.

[36] Farhang Sefidvash. "A high efficiency Fluidized Bed Nuclear Reactor Cooled by supercritical steam". In: XI Encontro Nacional de Física de Reatores e Termohidráulica. August 18-22. Poços de Caldas, 1997.

[37] Walter Seifritz and Farhang Sefidvash. "An energy amplifier using Fluidized Bed Nuclear Reactor concept". In: Conference on Nuclear Applications of Accelerator Technology. November 16-20. Albuquerque, 1997.

[38] Walter Seifritz and Farhang Sefidvash. "Non-linear Noise Theory for the Fluidized Bed Light Water Reactor". In: Kerntechnik 62.4 (1997), pp. 178-183.

[39] Farhang Sefidvash. "Advancement in the Fluidized Bed Nuclear Reactor concept". In: 8th International Conference on Emerging Nuclear Energy Systems. June 24-28. Obninsk, 1996.

[40] Farhang Sefidvash. "Status of the Small Modular Fluidized Bed Light Water Nuclear Reactor concept". In: Nuclear Engineering Design 167 (1996), pp. 203-214.

[41] Farhang Sefidvash and Volnei Borges. "Reator Nuclear a Leito Fluidizado como formador de pessoal". In: VI Congresso Geral de Energia Nuclear. October 27 - November 1. Rio de Janeiro, 1996.

[42] Volnei Borges and Marco Túlio Vilhena. "Dynamical Stability of a Fluidized Bed Nuclear Reactor". In: Nuclear Technology 111.2 (1995), pp. 251-259.

[43] Farhang Sefidvash. "A Direct Cycle Fluidized Bed Nuclear Reactor operating at supercritical pressure". In: Technologies for Energy Efficiency and Environmental Protection Conference. March 26-30. Cairo, 1995, pp. 47-50.

[44] Farhang Sefidvash. "A preliminary thermal-hydraulic study of the Fluidized Bed Nuclear Reactor concept". In: Kerntechnik 60.1 (Feb. 1995), pp. 48-51.

[45] Farhang Sefidvash and A. Elbern. "The study of transients in the Fluidized Bed Nuclear Reactor by Linkage and Fuzzy Methods". In: 3rd International Conference on Nuclear Engineering. April 23-27. Kyoto, 1995.

[46] Farhang Sefidvash. "Nuclear Energy for the Next Century". In: 2nd European Congress on Economics and Management of Energy in Industry. April 5-9. Estoril, 1994.



FBNR GROUP

Fixed Bed Nuclear Reactor

- [47] Farhang Sefidvash. "Un reactor nuclear simple y seguro al servicio de la Humanidad". In: *Ecología y Unidad Mundial* 7 (1994), p. 23.
- [48] Farhang Sefidvash. "A Small Modular Fluidized Bed Nuclear Reactor". In: *International European Nuclear Society Topical Meeting Towards the Next Generation of Light Water Reactors*. April 25-28. The Hague, 1993.
- [49] Farhang Sefidvash. "An experimental method to study the porosity of a Fluidized Bed using Gamma Ray Transmission Technique". In: *45° Reunião Anual da Sociedade Brasileira para o Progresso da Ciência*. Vol. 1. Julho 11-16. Recife, 1993, p. 203.
- [50] Farhang Sefidvash. "Preliminary thermal hydraulic analysis of a Fluidized Bed Nuclear Reactor concept". In: *ASME/AIChE/ANS/AIAA National Heat Transfer Conference*. Vol. 7. August 8-11. Atlanta, 1993, pp. 378-382.
- [51] Farhang Sefidvash. "The structural design needs of a Small Modular Fluidized Bed Nuclear Reactor". In: *12th Conference on Structural Mechanics in Reactor Technology*. Vol. SD-1, August 15-20. Stuttgart, 1993, pp. 261-266.
- [52] Farhang Sefidvash and Volnei Borges. "Métodos Operacionais do Reator Nuclear a Leito Fluidizado". In: *IX Encontro Nacional de Física de Reatores e Termohidráulica*. Outubro 25-29. Caxambu, 1993.
- [53] Farhang Sefidvash and Volnei Borges. "Termohidráulica do Reator Nuclear a Leito Fluidizado". In: *IX Encontro Nacional de Física de Reatores e Termohidráulica*. Outubro 25-29. Caxambu, 1993.
- [54] Farhang Sefidvash. "The Future of Nuclear Energy". In: *4° Congresso Geral de Energia Nuclear*. Vol. 2. Julho 5-10. Rio de Janeiro, 1992, pp. 879-883.
- [55] Farhang Sefidvash. "Nuclear Energy and The New Era". In: *International Specialists Meeting on Potential of the Small Nuclear Reactor for Future Clean and Safe Energy Sources*. October 23-25. Tokyo, 1991.
- [56] Volnei Borges and Marco Túlio Vilhena. "A Fluidized Bed Nuclear Cell Calculation". In: *Kerntechnik* 55.5 (1990), pp. 315-317.
- [57] Marco Túlio Vilhena and Farhang Sefidvash. "Solution of the heat conduction equation for a Fluidized Bed Nuclear Reactor". In: *Kerntechnik* 55.2 (1990), pp. 108-111.
- [58] Farhang Sefidvash and Volnei Borges. "Método de cálculos neutônicos de uma célula esférica equivalente a uma cilíndrica, para utilização de códigos computacionais para reatores a água leve no Reator Nuclear a Leito Fluidizado". In: *VII Encontro Nacional de Física de Reatores*. Abril 26-28. Recife, 1989.
- [59] Farhang Sefidvash. "An inherently safe small nuclear reactor concept". In: *American Nuclear Society International Topical Meeting on Safety of Next Generation Power Reactors*. May 1-5. Seattle, 1988.
- [60] Farhang Sefidvash. "Um Novo Conceito de Reator Nuclear". In: *39° Reunião Anual da Sociedade Brasileira para o Progresso da Ciência*. Julho 12-18. Brasília, 1987.



FBNR GROUP

Fixed Bed Nuclear Reactor

- [61] Farhang Sefidvash, Marco Túlio Vilhena, E. Streck, Volnei Borges, and M. Johansson. "State of Art of the Fluidized Bed Nuclear Reactor Concept". In: IV Congresso Brasileiro de Energia. Agosto 17-21. Rio de Janeiro, 1987.
- [62] Marco Túlio Vilhena and Farhang Sefidvash. "Análise de transferência de calor em regime transiente em Reator Nuclear a Leito Fluidizado utilizando a transformada de Laplace". In: I Simpósio Brasileiro de Transferência de Calor e Massa. Julho 1-3. Campinas, 1987.
- [63] Farhang Sefidvash. "Transient heat transfer in a Fluidized Bed Nuclear Power Reactor". In: II Congresso Latinoamericano de Transferência de Calor e Matéria. Maio 12-15. São Paulo, 1986.
- [64] Farhang Sefidvash. "Um Conceito de Reator Nuclear a Leito Fluidizado". In: I Congresso Geral de Energia Nuclear. Vol. 1. Março. Rio de Janeiro, 1986, p. 333.
- [65] Farhang Sefidvash and Lirio Schaeffer. "Fabricação de revestimento dos elementos de combustível para o Reator Nuclear a Leito Fluidizado". In: III Congresso Brasileiro de Engenharia e Ciências de Materiais. Dezembro 10-12. Florianópolis, 1986.
- [66] Farhang Sefidvash. "A Fluidized Bed Nuclear Reactor Concept". In: Nuclear Technology 71.3 (1985), pp. 527-534.
- [67] Farhang Sefidvash. "A simple, small, safe nuclear reactor for developing countries". In: II Course International on Nuclear Physics and Reactor. February. Bogotá, 1985.
- [68] M. R. Haroon and Farhang Sefidvash. "Reactor Physics study of organic moderated Fluidized Bed Nuclear Reactor". In: Journal of Natural Science and Mathematics 24.1 (1984), pp. 129-146.
- [69] Farhang Sefidvash. "A Small Safe Nuclear Power Reactor". In: III Congresso Brasileiro de Energia. Outubro. Rio de Janeiro, 1984.
- [70] Farhang Sefidvash, J. R. L. Mattos, L. M. M. Eberle, M. T. M. B. Vilhena, L. Schaeffer, Luiz F. Degrazzia, E. Z. Silvia, J. E. M. Ramsy, and A. B. P. Machado. "Relatório do progresso alcançado na pesquisa e desenvolvimento de um Reator Nuclear a Leito Fluidizado". In: IV Encontro Nacional de Física de Reatores. Novembro. Itaipava, 1983.
- [71] Farhang Sefidvash. "A Nuclear Power Reactor for Developing Countries". In: 1st International Course of Reactor Physics for Developing Countries. Bogotá, 1983.
- [72] Farhang Sefidvash. "Loss of Coolant Accident in the Fluidized Bed Nuclear Power Reactor". In: Atomkernenergie/Kerntechnik 42.2 (1983), pp. 125-126.
- [73] Farhang Sefidvash. "Heat Transfer in a Fluidized Bed Nuclear Power Reactor". In: I Congresso Latinoamericano de Transferência de Calor y Matéria. 31 de Outubro 4 de Noviembre. La Plata, 1982.
- [74] Farhang Sefidvash. "Physics and thermal and hydraulic of the Fluidized Bed Nuclear Power Reactor". In: II Encontro Nacional de Física de Reatores. Dezembro 12-14. Itaipava, 1982.
- [75] Farhang Sefidvash. "Preliminary thermal design calculation of the Fluidized Bed Nuclear Power Reactor". In: Atomkernenergie/Kerntechnik 41.1 (1982), pp. 45-49.



FBNR GROUP

Fixed Bed Nuclear Reactor

[76] Farhang Sefidvash. "A Nuclear Power Reactor concept for Brazil". In: Revista Brasileira de Tecnologia 11.3 (1980), pp. 145-158.

[77] Farhang Sefidvash and M. R. Haroon. "Preliminary Reactor Physics calculations of the Fluidized Bed Nuclear Reactor concept". In: Atomkernenergie/Kerntechnik 35.3 (1980), pp. 191-195.